

AD-A095 870

MASSACHUSETTS INST OF TECH CAMBRIDGE RESEARCH LAB OF--ETC F/G 20/10
STATE TO STATE STUDIES OF ENERGY TRANSFER PROCESSES.(U)
JAN 81 D E PRITCHARD AFOSR-76-2972

UNCLASSIFIED

AFOSR-TR-81-0189

NL

[of]
AD
A095870



END
DATE
FILMED
3-81
DTIC

AFOSR-TR-81-0189

FINAL REPORT

State to State Studies of Energy Transfer Processes,

United States Air Force - Office of Scientific Research
Grant AFOSR-76-2972

covering the period

1 January 1976 - 31 December 1980

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distributor	
Availability Codes	
Dist	Avail and/or Special
A	

Submitted by
De E. Pritchard

January 1981

MASSACHUSETTS INSTITUTE OF TECHNOLOGY
Research Laboratory of Electronics
Cambridge, Massachusetts 02139

Approved for public release;
distribution unlimited.

AD A 095810

DDC FILE COPY

DTIC
SELECTED
S
D

81 135

SUMMARY OF WORK ACCOMPLISHED

The work was carried out in the Research Laboratory of Electronics at M.I.T. In addition to the tunable single mode cw dye laser which was used in this experiment, this laboratory has a large assortment of equipment for research in atomic physics using optical techniques, including several spectrum analyzers, photomultiplier tubes, and miscellaneous optical and electronic equipment. The Research Laboratory of Electronics provides also a number of services and facilities essential to the work carried out, including glassblowing, machine shop, purchasing, drafting, photographic, and general administration.

In the first year of research we have made a clear-cut demonstration of the VSDS method by measuring the velocity dependence of the fine structure changing cross sections for two Na-rare gas systems. These were the first velocity dependent measurements in this system, and our measured velocity dependence has subsequently been confirmed by an independent measurement in a crossed beams machine.

We have also, in the first six months, begun work on measurements of molecular energy transfer in collisions of Na_2 molecules with rare gases.

In the second year our studies of molecular energy transfer processes, including chemical reactions, were carried out using a new technique which permits measurement of the velocity dependence of the energy transfer cross sections in experiments conducted in gas cells. We used a tunable laser to excite molecules in a particular vibration and rotation state, and also to select their velocity by means of the Doppler shift, we studied the transfer and redistribution of initial translational and rotational energy when these molecules collide.

We continued our studies of collision processes by which an excited state molecule can transfer its energy to other atoms and molecules. We measured the influence of the initial electronic, vibrational, rotational and translational energy of the excited state molecule on the outcome of the collision. We made these measurements by using a tunable single-mode

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)
NOTICE OF TECHNICAL TO EDC
This technical report has been reviewed and is
Approved for release under E.O. 12958-1 (7b)
Distribution is unlimited.
A. D. MOSE
Technical Information Officer

continuous wave due laser to excite the desired electronic, vibrational and rotational state of the molecule prior to the collision.

Atomic and molecular energy transfer processes were the object of considerable theoretical and experimental study. The primary stimulus for this research was the importance of these energy transfer processes to a number of devices and phenomena of practical interest in which a gas of atoms and/or molecules is found in thermal disequilibrium.

Another strong stimulus for the study of molecular energy transfer processes came from the fact that the problem was "ripe" for major scientific advances because of recent theoretical and experimental developments. The advent of tunable single-mode lasers made it possible to perform experiments with good signal-to-noise ratio in which the initial states, and the final states as well, of the colliding molecules were known exactly and chosen at will simply by tuning the laser to excited the desired state.

Rotational Energy Transfer (RET) for intensive study was selected for several reasons. Firstly, it is more rapid than any other energy transport process so that we have been able to study it in a single collision and without competition from other energy transfer processes (e. g. those involving the vibrational degree of freedom). Secondly, RET is a relatively simple collision process, governed by simple laws, which may be explained theoretically. Finally, because RET is so rapid, it is not possible to study other energy transfer processes in detail without encountering a great deal of RET; unless RET is already well understood it is difficult to understand these other processes completely.

We made a preliminary search for state-to-state anisotropies by looking for collision induced polarization of the Na_2 satellite lines. Any anisotropy of the collision cross-section produced anisotropy in the distribution of angular momenta of the collisionally populated rotational levels,

thus causing satellite line polarization. We found less than 6% polarization of the satellite at high incident initial velocity, corresponding to a 30% anisotropy in the cross-section.

Experiments on Vibrational Rotational Energy Transfer (VRET) have been conducted under conditions where vibration changing collisions were relatively probable. Under these circumstances RET generally occurred so fast that it smeared out the rotational distribution, rendering it impossible to study the influence of rotation in the vibrational energy transfer process. Our apparatus was sensitive enough to detect vib-rotational energy transfer at such low perturbed pressures that competition from RET collisions was minimized. Thus we were able to clearly see the effects of rotation on the vibrational energy transfer processes and vice versa.

Our studies of collisional energy transfer processes in molecules, with particular emphasis on Rotational and Vib-Rotational Energy Transfer (RET and VRET) were satisfactory. We have made progress with both our discovery of two simple three parameter fitting laws for RET processes, and our pioneering measurements of the velocity dependence of the RET cross sections in $\text{Na}_2^* - \text{Xe}$ made by utilizing the Doppler shift to provide velocity selection of the molecules.

The work which we have accomplished is scientifically valuable in three major areas: technique, understanding, and application. Our techniques for careful gas cell measurements combined with those for Doppler velocity selection enable us to study energy transfer processes in great detail: we can select the initial level, rotational level, and kinetic energy, and monitor the final vibrational and rotational level. This amount of specificity is an advance in the number of controlled plus analyzed degrees of freedom over current state of the art for similar experiments. We believe that tunable lasers and Doppler velocity selection can give results whose scientific utility equals that of crossed molecular beams machines, and that they will be superior in productivity. Our experiments have also paved the way for future experiments in which Doppler velocity analysis techniques are used to determine the angular distribution of products of collisions.

Because our techniques are well suited to the study of energy transfer in

atom-diatom collisions, we have made major contributions to the scientific understanding of these processes. Our power law for rotational energy transfer processes resulted from gathering data over a wide range of physical variables and then seeking the physical framework in which it could be represented most economically. This work has proved useful to people studying flames and to astrophysicists. We also are beginning to understand where the power law comes from theoretically, and why it fits RET data for so many systems.

Finally, our results will have practical value because the collisional transfer rates for molecular energy are an important parameter in many devices and processes of current importance: lasers, MHD generators, and combustion being but three examples. Our fitting laws are most useful in this regard because they form a valid basis for modeling such systems.

Results on the work accomplished are described in papers already published or accepted for publication.

Journal Papers

- T. A. Brunner, R. D. Driver, N. Smith, and D. E. Pritchard, "Simple Scaling Law for Rotational Energy Transfer in Na_2^* -Xe Collisions," Phys. Rev. Lett. 41:13, 856-859 (1978)
- T. A. Brunner, R. D. Driver, N. Smith, and D. E. Pritchard, "Rotational Energy Transfer in Na_2^* -Xe Collisions Level to Level Dynamics" J. Chem. Phys. 70, 4155-4167 (1979)
- T. A. Brunner, N. Smith, and D. E. Pritchard, "New Experimental Evidence for the Energy Corrected Sudden Scaling Law," Chem. Phys. Lett. 71:2, 358-362 (1980)
- T. A. Brunner, N. Smith, A. W. Karp, and D. E. Pritchard, "Rotational Energy Transfer in $\text{Na}_2^*(A\Sigma)$ Colliding with Xe, Kr, Ar, Ne, He, H_2 , CH_4 and N_2 : Experiment and Fitting Laws"(to be published in J. Chem. Phys.)
- D. E. Pritchard, N. Smith, R. D. Driver, and T. A. Brunner, "Power Law Scaling for Rotational Energy Transfer," J. Chem. Phys. 70, 2112-2120 (1979)
- N. Smith, T. A. Brunner, A. W. Karp, and D. E. Pritchard, "Velocity Dependence of Rotational Energy Transfer Rates in Na_2^* -Xe," Phys. Rev. Lett. 43:10, 693-697 (1979)
- N. Smith, T. A. Brunner, and D. E. Pritchard, "Velocity Dependence of Rates for Rotationally Inelastic Collisions in Na_2^* -Xe Using Velocity Selection by Doppler Shift"(to be published in J. Chem. Phys.)
- N. Smith and D. E. Pritchard, "Simple Analytical Approximation for Rotationally Inelastic Rate Constants Based on the Energy Corrected Sudden Scaling Law," (to be published in J. Chem. Phys.)
- M. Wainger, I. Al-Agil, T. A. Brunner, A. W. Karp, N. Smith, and D. E. Pritchard, "Power Law Scaling of Rotational Energy Transfer in $\text{Na}_2(A\Sigma)+\text{He}$, H_2 , CH_4 and N_2 (J. Chem. Phys. 71:4, 1977-1978 (1979)

Meeting Papers Presented

1978 Spring Meeting, American Physical Society, Washington, D.C.

April 24-27, 1978

R. D. Driver, T. A. Brunner, N. Smith, and D. E. Pritchard,
Rotational Energy Transfer in $\text{Na}_2(\text{A}'\Sigma) - \text{Xe}$ Collisions

Division of Physical Chemistry Meeting, American Chemical Society,
Honolulu, Hawaii

April 1-6, 1979

T. A. Brunner, R. D. Driver, N. Smith, and D. E. Pritchard,
Simple Scaling Law for Rotational-Energy Transfer in $\text{Na}_2^* - \text{Xe}$
Collisions

T. A. Brunner, N. Smith, R. D. Driver, and D. E. Pritchard,
Velocity Dependence of Rate Constants for Rotation Changing
Collisions in $\text{Na}_2 - \text{Xe}$

M. Wainer, I. Al-Agil, T. A. Brunner, A. Karp, N. Smith, and
D. Pritchard, Rotational Energy Transfer (RET) of $\text{Na}_2[\text{A}'\Sigma]$ in
Collision with He, Ne, Ar, Kr, H_2 , N_2 , and CH_4

Sixth International Conference on Molecular Energy Transfer, Comtral
Center, Lionjas, Rodez, France

July 16-20, 1979

T. A. Brunner, N. Smith, R. D. Driver, and D. E. Pritchard,
Rotational Energy Transfer in $\text{Na}_2^* - \text{Rare Gas}$ Collisions Level to
Level Dynamics

1980 March Meeting, American Physical Society, New York, New York

March 24-28, 1980

T. A. Brunner, M. Durand, N. Smith, and D. E. Pritchard,
Rotational Energy Transfer in $\text{I}_2(\text{B}^3\Pi) - \text{Xe}$

D. E. Pritchard, Scaling Laws for Rotational Energy Transfer:
Experiment and "Theory" (Invited)

35th Annual Symposium on Molecular Spectroscopy, Columbus, Ohio

June 16-20, 1980

T. A. Brunner, N. Smith, and D. E. Pritchard, Fitting Laws for
Rotational Energy Transfer

N. Smith, T. A. Brunner, and D. E. Pritchard, Velocity Dependence
of Rotational Energy Transfer Rates in $\text{Na}_2^* - \text{Xe}$

XI International Quantum Electronic Conference, Boston, Massachusetts
June 23-26, 1980

T. A. Brunner, M. Durand, and D. E. Pritchard, Rotational Energy
Transfer in $I_2^+(B^3\Pi) - Xe$

Seventh International Conference on Atomic Physics, Cambridge,
Massachusetts

August 4-8, 1980

T. A. Brunner, N. Smith, and D. E. Pritchard, Experimental Evidence
for the Wide Applicability of Power Fitting Laws for Rotational Energy
Transfer

N. Smith, T. A. Brunner, and D. E. Pritchard, Calculation of
Rotational Energy Transfer Rate Constants for $j \rightarrow 0$ Transitions

Division of Physical Chemistry Meeting, American Chemical Society, San
Francisco, California

August 25-26, 1980

T. A. Brunner, N. Smith, and D. E. Pritchard, Power Laws for
Fitting Rotational Energy Transfer Data: Theoretical Justifications

D. E. Pritchard, Rotationally Inelastic Collisions: Experiment and
"Theory" (Invited)

We have given Seminars on this work at several industrial corporations and
numerous universities.

Personnel

Dr. D. E. Pritchard	-	Professor
Dr. T. A. Brunner	-	Research Associate
Dr. R. Driver	-	Research Associate
P. L. Gould	-	Research Assistant
A. Karp	-	Research Assistant
T. P. Scott	-	Research Assistant
N. Smith	-	Research Assistant

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFOSR-TR- 81 - 0189	2. GOVT ACCESSION NO. DAAG45870	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) STATE TO STATE STUDIES OF ENERGY TRANSFER PROCESSES		5. TYPE OF REPORT & PERIOD COVERED Final Jan. 1, 1976 - Dec. 31, 1980
7. AUTHOR(s) David E. Pritchard		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Research Laboratory of Electronics Massachusetts Institute of Technology Cambridge, Massachusetts 02139		8. CONTRACT OR GRANT NUMBER(s) AFOSR-76-2972
11. CONTROLLING OFFICE NAME AND ADDRESS AFOSR / NP Bolling AFB, D.C. 20332		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61102F 2301/A4
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE January 1980
		13. NUMBER OF PAGES 9
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release, distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Doppler shift Rotational Energy Transfer (RET) Vibrational Rotational Energy Transfer (VRET)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Studies of molecular energy transfer processes, including chemical reactions, were carried out. Also our studies of collision processes were continued. Atomic and molecular energy transfer processes were the object of considerable theoretical and experimental study. Our studies of collisional energy transfer processes in molecules, with particular emphasis on Rotational and Vib-Rotation Energy Transfer (RET and VRET) were satisfactory.		

DD FORM 1473
1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

ED
8